

Schedule – I

Format for declaring capacity of Pipeline

(See regulation 4(2))

1. Name of entity: IHB Limited (A JV company of IOCL, HPCL & BPCL)
2. Name of pipeline: Kandla - Gorakhpur LPG Pipeline (KGPL)
3. Details of capacity of Pipeline (as per table below):

**** Pipeline is under construction phase**

Name of Section	Capacity approved by PNGRB		Break up of capacity for period (MMT)				
	Total Including Common carrier (MMT)	Common Carrier (MMT)	Own Requirement	Firmed-up contracted capacity with other entities for a period of at least one year		Common Carrier Capacity with other entities for a period of less than one year	
				Contracted	Available	Contracted	Available
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-

4. Number of entry points on the pipeline route:
5. Location of entry points:
6. Number of exit points:
7. Location of exit points:
8. Technical parameters:
 - (a) Inlet pressure at entry point:
 - (b) Grade band at entry point:
 - (c) Temperature:
 - (d) Other elements as per Schedule - II:
9. Any demand pending with the transporter for common carrier usage of the pipeline along with duration of such pendency:
10. Preference on entry and exit points:

Schedule – II

(See Regulations 5(6), 5(8), 11(2)(b)(i))

Petroleum Product Physical Characteristics Specifications

(A) For Motor Spirit (EURO-IV)		(B) For High Speed Diesel (EURO-IV)	
Parameter	Limit	Parameter	Limit
Sulphur (Maximum ppmw)	As per latest IS:2796	DENSITY @ 150C, KG/M3	As per latest IS:1460
Research Octane Number (RON) (Minimum)		SULPHUR, PPM (Maximum)	
Benzene, Vol % (Maximum)		DISTILLATION 95% Recovery °C (Maximum)	
Aromatics, Vol% (Maximum)		CETANE NO. (Minimum)	
Olefins, Vol% (Maximum)		WATER CONTENT (% by Vol) (Maximum)	
Motor Octane Number (MoN) (Minimum)		Polycyclic Aromatic Hydrocarbon (PAH) wt (%)	
Reid Vapour Pressure (RVP) (kPa)(Maximum)		Any other parameter (limits as per IS standards)	
Any other parameter (limits as per IS standards)			

(C) For other Petroleum Products			
Products	Specific Gravity (at 15°C)	Viscosity (CST)	Vapour Pressure (Kg/sq.cm)
Liquefied Petroleum Gas (LPG)	As per latest IS:4576		
Superior Kerosene Oil (SKO)	As per latest IS:1459		
Aviation Turbine Fuel (ATF)	As per latest IS:1571		
NAPHTHA	As per latest Industry Quality Control Manual (IQCM)		

K. RAJESHWARA RAO, OSD (R)
[ADVT.III/4/Exty./188(166)]